



DSA

Master Crafted Doors



FULL COLLECTION CATALOG VOLUME XXV

Welcome

For centuries, homeowners have invested in wood doors for their versatility, dependability, and natural beauty. No other material can compare to the warm welcome and timeless luxury of a quality crafted wood door which, when properly maintained, will stand the test of time and be cherished for generations to come.

Our team at DSA Doors has worked tirelessly to produce superior wood doors for 50 years. We take pride in our work, so you can take pride in your home! At DSA, we are committed to enduring quality, excellent service, innovation, and sustainability. Our team of skilled artisans hand assemble each DSA door to the highest quality standards.

Choose from 32 expansive collections in this catalog, featuring contemporary, traditional, and modern exterior door styles, or browse our innovative offerings and quality wood door products online, at www.DSADoors.com. Looking for something unique? DSA offers an in-house Custom Design team, to assist in making your ideal entry a reality.

Whether renovating your existing home, constructing the house of your dreams, or restoring a historical residence to its original glory, DSA Doors offers a wide range of wood entry systems, as well as custom design options, suited to every architectural style.



Experience the DSA DIFFERENCE

At DSA, our commitment to sustainability and craftsmanship is evident in everything we do. Our team of master artisans in Raleigh, North Carolina, collaborate with our network of dealers, builders, designers, and industry professionals to deliver a dynamic experience for even the most discerning homeowners. The “DSA Difference” extends to our dedicated dealer support, exceptional customer service, and valuable warranties that protect every door we create.

PREMIUM TIMBER

DSA doors are crafted from premium, sustainably-sourced hardwood timber exclusively from our partner’s forest concession. Each door is masterfully engineered to deliver long-lasting durability and enhanced performance.

SUPERIOR CONSTRUCTION

Our traditional stile and rail doors feature a proprietary finger-jointed, laminated core constructed exclusively from hardwoods, ensuring exceptional durability, longevity, and performance. Additionally, the 11-ply core construction of our floating panels allows them to expand and contract seamlessly, adapting to varying climate conditions.

SUSTAINABILITY FOCUSED


DSA’s exclusively sourced timber is managed in an environmentally, socially, and economically beneficial manner. Sustainable timber is one of the most environmentally friendly materials currently available, it is a truly renewable natural carbon sink. DSA doors are hand-assembled domestically at our solar-powered production facility in Raleigh, North Carolina.

ENERGY-EFFICIENT

Our CLPF™ (Cross Laminated Ply Foam) doors feature an innovative, energy-efficient design, with an environmentally friendly foam core, sandwiched between aluminum-lined hardwood veneers and strengthening LVL bars. CLPF doors are **Energy Star** rated, to increase your home’s energy efficiency, and all of our glass is double glazed, with a soft low-emissivity coating, which minimizes thermal transfer into the home.

INDUSTRY EXPERTS

DSA’s team comprises master craftsmen, manufacturing professionals, research and design specialists, custom design consultants, and dedicated service and sales representatives. Working collaboratively, our team delivers excellent customer service and support to homeowners, as well as our dealer network, while continuously improving and innovating our wood door products.




UNLOCK MORE ONLINE



Visit www.DSADoors.com to experience our full portfolio of innovative master-crafted doors, get a behind-the-scenes look at our process, and learn more about the options we have available. Use our 'Find Your Dealer' tool to select a preferred DSA dealer in your area, and get started on your DSA door order today!

If you're in the planning stage, still dreaming about a new entryway, follow us on Facebook, Instagram and Pinterest for new design ideas, innovations and inspirations every week. We are [@DSADoors](https://www.instagram.com/dsadoors), and we're looking forward to connecting with you!





SIGNATURE

Door Collections

Our Signature door collections showcase 11 of our most popular and stylish designs over the past two decades. From DSA's versatile Alexandria collection, boasting a wide range of options and door sizes, to our Wakefield collection, featuring ornate hammered wrought iron and leaded glass, our Signature line offers a diverse range of styles to complement both contemporary and traditional homes.

PAGES 13 - 71

Photo: E-01 Alexandria Classic 6LT TDL | pg 17



TRADITIONAL

Door Collections

Transform your entryway with a timeless, traditional exterior door from our extensive collection of 15 distinctive styles. Our Beloved Classics line offers enduring staples suited to a variety of classic home styles. Explore the rustic yet refined options in our Old World Charm designs, or the ornate iron and glass accents of our Enduring Elegance series.

PAGES 72 - 87

Photo: E-09 Colonial 6 Panel | pg 76

MODERN

Door Collections

DSA's Modern door collections offer a bold, high-quality selection of Mahogany exterior door styles to create your dream entrance. Browse through our 15 dynamic door styles featuring clean lines, uncluttered designs, and a range of modern hardware options. Doors crafted with our innovative CLPF™ (Cross Laminated Ply Foam) construction are Energy Star rated, to meet evolving homeowner and building requirements.

PAGES 88 - 99

Photo: E-01 Milan Wide Lite | pg 91



FULL VIEW

Door Collections

Our high-performance Full View collections boast contemporary design and cutting-edge technologies to deliver impressive durability and versatile applications, all backed by our 5-year Accoya® warranty. Our Bifold doors and Slimline collection are Energy Star rated and feature our premium argon-filled glass, providing maximum viewing, without increasing your home's energy consumption.

PAGES 100 - 117

Photo: E-01+SL Slimline Model B Abstract | pg 108










At DSA, we emphasize the importance of purchasing products that are legitimately tested and approved to meet building code requirements and ensure the integrity of your home. DSA offers three tiers of coastal ratings that meet even the most stringent requirements: **DP-50** non-impact doors, featured in this catalog, and **WBD Impact** or **HVHZ Impact**, available in our Port collection.

DP50

RATED

NON-IMPACT COASTAL RATED DOORS









-  Florida Certified *Non-Impact*
-  NAMI Certified *states outside of Florida*
-  Design Pressure +/- 50 psf
-  Certified for Air Infiltration
-  Inswing and Outswing doors
-  Single and Double doors with side lite and transom unit configurations
-  Featured in this catalog

NOTE: Not all configurations or sizes available as DP-50 Rated in this catalog are approved for the state of Florida.

WBD

IMPACT








WBD IMPACT RATED COASTAL DOORS

-  Florida Impact Certified *Wind Borne Debris Region*
-  NAMI Certified *states outside of Florida*
-  Design Pressure +/- 50 psf
-  Certified for Air Infiltration
-  Windborne Debris and Large Missile Impact Resistant
-  Cyclic Pressure Differentials
-  Inswing and Outswing doors
-  Single and Double doors with side lite and transom unit configurations

HVHZ

IMPACT

HVHZ IMPACT RATED COASTAL DOORS

-  Florida Impact Certified *High Velocity Hurricane Zone*
-  Miami/Dade NOA *High Velocity Hurricane Zone*
-  Design Pressure +/- 70 psf
-  Certified for Air *and* Water Infiltration
-  Windborne Debris and Large Missile Impact Resistant
-  HVHZ Cyclic Pressure Differentials
-  Inswing and Outswing Single and Double doors

Our Port collection features stock WBD and HVHZ Impact Rated units available in five door styles with dozens of lite options to choose from.

View our Port Collection online, or scan the QR code.



PORT COLLECTION

Impact Rated Mahogany Doors



FJLB Solid Core



INTERIOR DOORS

Bring DSA's master craftsmanship indoors with our new line of solid core interior wood doors. Our 8' tall interior doors are available in six different contemporary styles, with four premium wood veneer options, offered prehung in our finger jointed laminated jambs, with kerf-mounted bubble seals, to prevent door slamming and enhance acoustic dampening and temperature regulation.



Sound Insulation

Our thicker, solid core interior doors muffle sound more effectively than hollow core doors.



Everyday Luxury

DSA's high-quality interior doors offer an everyday sense of luxury and refinement.



Lasting Durability

Carefully crafted with a solid wood engineered core, DSA's interior doors are built to last.



Scan to view our
Interior Doors.

Primed White

White Oak

Mahogany

American Walnut

LUXE PIVOT



Scan to view our
LUXE Pivot Doors.


Make a bold statement with DSA's LUXE Pivot Doors. Available in nine pre-engineered Mahogany styles or bespoke designs, our LUXE Pivot doors feature a robust 3-inch thickness and are equipped with the adjustable FritsJurgens System M+ pivot hinge, giving you complete control over every part of the door's movement.

Our oversized pivot doors, with custom sizes reaching a maximum of 6-feet wide and up to 12-feet tall, are offered with an automatic drop seal along the top and bottom, ensuring a tight and effortless closure.

EXTERIOR VIEW



FritsJurgens® System M+ Adjustable Pivot Hinge





CUSTOM DOORS

Bring your inspiration to life with DSA's Custom Doors, by working with our Custom Design Team to curate the door of your dreams today!

CUSTOM DOOR DESIGNS

Whether following architectural plans or finding inspiration online, DSA can make your dream door a reality. From customized decorative details, wrought iron, and leaded glass designs, to unique and personalized features that accentuate your home's character and style, our full range of capabilities is at your fingertips when ordering a DSA custom door.

CUSTOM SIZES AND CONFIGURATIONS

Special order one of our standard doors or choose a custom design to meet your specific size and unit specifications. Whether creating a grand 12-foot tall entry, for new construction, or retrofitting an existing entryway, DSA can accommodate your requirements.


CUSTOM ENTRY SYSTEMS

DSA's custom capabilities extend to every door system we offer, including Coastal Rated, Bifold, Pivot, and Interior doors. We also offer custom individual door slabs that can be utilized for pocket or barn door applications.

CUSTOM TIMBER AND GLASS

Choose from six available wood species and fifteen glass types for your custom door. DSA also offers paint grade Mahogany and Tricoya doors, primed white and ready to paint.

PREMIUM TIMBER



Mahogany


Knotty Alder



Walnut

White Oak

HIGH-PERFORMANCE



Accoya®

Tricoya®

*Paint Grade



Scan to view our Custom catalog online.



Unlock your dream entry with DSA's

DOOR STYLE GUIDE



MODERN FARMHOUSE

A welcoming style that has maintained its popularity among homeowners, which often features white siding, a dark gabled roof, with rustic elements of exposed wood and black trim windows.

DSA Door Collections

Alexandria, Tiffany, Urban, and Breezeport

Our favorite: Alexandria Studio 4LT TDL | pg 31



CONTEMPORARY

A modern architectural style featuring oversized windows, allowing an abundance of natural light, with strong, clean lines, symmetry, and expansive floor plans.

DSA Door Collections

Slimline, Milan, Carlo, Bifold, and DSA's Luxe Pivot doors

Our favorite: Slimline Model A or B | pg 104



MODERN COTTAGE

A combination of English Tudor or French Country elements, such as steeply pitched roofs, arched entries, large chimneys, and narrow windows, with modern materials and color palette.

DSA Door Collections

Pinehurst, Trinity, Briarcliff, Tiffany, Meadowlands, and Porthole

Our favorite: Pinehurst Full 8LT SDL | pg 62

MID-CENTURY MODERN

Simplicity in style featuring a wide open footprint, expansive windows and minimalist design, with asymmetrical features and geometric accents.

DSA Door Collections

Flores, Milan, Luca , Slimline with Modern grids, and Carlo.

Our favorite: Milan Thin Lite (Left or Right) | pg 91



CRAFTSMAN

An enduring bungalow style home, featuring an array of natural materials, a low-pitched gabled roof, overhanging eaves, with exposed rafters or beams, and a covered porch with large columns.

DSA Door Collections

Tuscany, Lakewood, Linville, Madison and Brentwood.

Our favorite: Tuscany 6LT TDL | pg 51



FRENCH PROVINCIAL

An estate style with brick and stone facade, steeply pitched hipped roof and symmetrical design elements, with large, arched windows and entry ways, often flanked with rounded towers.

DSA Door Collections

Wakefield, Trinity, Tiffany, and Aberdeen

Our favorite: Aberdeen Solid Panel | pg 45





BARN HOUSE

Framed similarly to traditional farmhouse barns, with a gambrel or gabled roof, barn-style homes feature timber cladding, vaulted ceilings, exposed beams and open, flexible living space.

DSA Door Collections

Oconee, Keowee, Meadowlands, and Dutch

Our favorite: Oconee 6LT TDL | pg 58



COLONIAL

Simple, traditional designs, with a brick or stone facade, feature a prominent front entrance, flanked by columns and symmetrical windows with decorative shutters, and steeply pitched roofs with side gables.

DSA Door Collections

Colonial, Louisburg, Decatur Hendersonville, Belle Meade, and Brentwood

Our favorite: Belle Meade Solid Panel | pg 75



SPANISH REVIVAL

Featuring textured stucco walls and an iconic low-pitched clay tile roof, with minimal overhang, and covered arched entry, this eclectic style is typically popular in the warm climates of Florida, Texas, and California.

DSA Door Collections

Hampshire, Aberdeen, Decatur Hendersonville, Meadowlands, Pinehurst, and Briarcliff.

Our favorite: Hampshire with Wrought Iron | pg 86

Alexandria

Tiffany

Aberdeen

Breezeport

Tuscany

Urban

Keowee

Oconee

Pinehurst

Trinity

Wakefield

Signature SDL

*Alexandria and
Aberdeen*



SIGNATURE

DOOR COLLECTIONS

ALEXANDRIA

DSA MASTER CRAFTED DOORS



Alexandria offers the enduring warmth of wood combined with contemporary versatility. Featuring 1 Lite and five True Divided Lite designs, glazing selections include Clear, Clear Beveled, and Flemish. Underneath the visual appeal, precision-joined stiles and rails with an engineered core and floating panel construction help mitigate seasonal movement. Additionally, moisture-resistant adhesives, full-perimeter weather seals, and factory-applied finishes designed for UV and moisture protection ensure long-lasting performance. Available as single or double doors with seven sidelite and transom arrangements, DSA's Alexandria doors create an impressive entry that looks stunning from day one that maintains its integrity year after year.

Alexandria Door Styles



1 Lite
6'8" and 8'0"



3 Lite TDL
8'0"



4 Lite TDL
6'8" and 8'0"



6 Lite TDL
6'8" and 8'0"



8 Lite TDL
8'0"



12 Lite TDL
8'0"



Etched 4LT
6'8" and 8'0"




Etched 6LT
6'8" and 8'0"



Leaded 3LT
8'0"

Modern Privacy Glass



Etched Glass



Leaded Glass



Also offered as one of our *Signature SDL Doors*, with narrow or traditional SDL grids, available in all Alexandria door sizes (see pg. 18).

Colonial Recessed Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Classic Ogee Raised Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Studio Raised Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Flat Shaker Panel

EXTERIOR







INTERIOR



**Optional flat moulding for exterior.*

Bottom Panel Style Options

Alexandria door units are available with four bottom panel styles. Our Alexandria construction includes a flat, low-profile moulding around the panel and glass on the interior side of the unit. Upon request, the moulding can be added to the unit's exterior.



Alexandria glass and panel moulding, on unit's the interior side, is a part of the door construction and cannot be removed. Optional matching exterior moulding is a standard option for Alexandria units, included at no additional cost.



E-01 Alexandria Etched 4LT - 8'0"

Alexandria Etched 4LT or 6LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Sandblasted IG Low E with Clear grids
Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01

Door Size
3'0" x 6'8"



E-04

Door Size
6'0" x 6'8"



E-01

Door Size
3'0" x 8'0"



E-04

Door Size
6'0" x 8'0"



E-01+T

Transom Height
12", 14"
 Transom Style
1 Lite - Clear



E-01+SL | E-03

Side Lite Width
12", 14"
 Side Lite Style
1 Lite - Clear or
Etched



E-09

Transom Height
12", 14"
 Transom Style
1 Lite - Clear or
Etched



E-04+T

Transom Height
12"
 Transom Style
1 Lite - Clear

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.

Alexandria Leaded 3 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Fluted & Sandblasted IG Low E with Flat Black Caming

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



E-01

Door Width
3'0"

Door Height
8'0"



E-01+SL

Side Lite Width
12", 14"

Side Lite Style
1 Lite - Clear, Fluted
or Etched



E-03

Side Lite Width
12", 14"

Side Lite Style
1 Lite - Clear, Fluted
or Etched



E-04

Door Width
6'0"

Door Height
8'0"



E-01+T

Transom Height
12", 14"

Transom Style
1 Lite - Clear



E-09

Transom Height
12", 14"

Transom Style
1 Lite - Clear, Fluted
or Etched



E-04+T

Transom Height
12"

Transom Style
1 Lite - Clear



Leaded Glass



1/2" Flat Caming

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.



E-01 Alexandria Leaded 3LT TDL



E-09 Alexandria 1LT - 6'8"

Alexandria 1 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹


Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



E-01

Door Width
2'6", 2'8", 3'0"
Door Height
6'8"



E-01

Door Width
2'6", 2'8", 3'0", 3'6"
Door Height
8'0"



E-03

Side Lite Width
12", 14"
Side Lite Style
1 Lite




E-04

Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-01+T

Door Width
3'0", 3'6"
Transom Height
12", 14"
Transom Style
1 Lite



E-01+SL

Side Lite Width
12", 14"
Side Lite Style
1 Lite



E-09

Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Style
1 Lite



E-04+T

Door Width
5'0", 5'4", 6'0"
Transom Height
12"
Transom Style
1 Lite

¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" wide doors.

Alexandria 3 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Unit Type: Non-Rated or DP-50²

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01

Door Width
2'8", 3'0"

Door Height
8'0"



E-04

Door Width
5'4", 6'0"

Door Height
8'0"



E-01+SL | E-03

Side Lite Width
12", 14"

Side Lite Style
1LT or 3LT



E-01+T

Transom Size
3'0" x 12", 14"

Transom Style
1LT



E-04+T

Transom Size
5'4", 6'0" x 12"

Transom Style
1LT, 4LT or 5LT



E-04+SEGT

Door Width
5'4", 6'0"

Transom Height
21" (R78")

Transom Style
5LT



E-09

Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"

Transom Style
1LT, 3LT, 4LT or 5LT



E-14

Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
21" (R78")


Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.



E-01 + 1SL Alexandria 3LT TDL



E-04 Alexandria 4LT TDL - 8'0"

Alexandria 4 Lite TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01

Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"



E-04

Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-01+SL | E-03

Side Lite Width
12", 14"
Side Lite Style
1LT or 2LT



E-01+T

Transom Size
3'0" x 12", 14"
Transom Style
1LT or 2LT



E-04+T

Transom Size
5'0", 5'4", 6'0" x 12"
Transom Style
1LT, 4LT or 5LT



E-04+SEGT

Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Style
5LT



E-09

Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Style
1LT, 3LT, 4LT or 5LT



E-14


Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.

Alexandria 6 Lite TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Panel: Recessed, Classic or Studio Raised, and Flat

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50²

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01

Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"



E-04

Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-01+SL | E-03

Side Lite Width
12", 14"
Side Lite Style
1LT or 3LT



E-01+T

Transom Size
3'0" x 12", 14"
Transom Style
1LT or 2LT



E-04+T

Transom Size
5'0", 5'4", 6'0" x 12"
Transom Style
1LT, 4LT or 5LT



E-04+SEGT

Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Style
5LT



E-09

Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Style
1LT, 3LT, 4LT or 5LT



E-14


Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations.



E-14 Alexandria 6LT TDL - 6'8"



E-01 Alexandria 8LT TDL - 8'0"

Alexandria 8 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Panel: Recessed, Classic or Studio Raised, and Flat

Glass: Clear, Clear Beveled¹, or Flemish¹ IG Low E

Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50¹

1LT Transoms and Sidelites are only available In Clear (flat) or Flemish IG Low E.



E-01

Door Width
2'8", 3'0", 3'6"
Door Height
8'0"



E-04

Door Width
5'4", 6'0"
Door Height
8'0"



E-01+SL | E-03

Side Lite Width
12", 14"
Side Lite Style
1LT or 3LT



E-01+T

Transom Size
3'0", 3'6" x 12", 14"
Transom Style
1LT or 2LT



E-04+T

Transom Size
5'4", 6'0" x 12"
Transom Style
1LT, 4LT or 5LT



E-04+SEGT

Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Style
5LT



E-09

Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Style
1LT, 3LT, 4LT or 5LT



E-14


Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Style
5LT



Clear



Clear Beveled



Flemish

¹ E-14 and E-04+SEGT 5LT Arched Transom only available in Clear Beveled or Flemish IG Low E.

² DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" door widths.

Alexandria 12 Lite TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Recessed, Classic or Studio Raised, and Flat

Glazing Bead: Ovolo



E-01

Door Width
3'0", 3'6"

Door Height
8'0"



E-04

Door Width
6'0"

Door Height
8'0"



E-01+SL | E-03

Side Lite Width
12", 14"

Side Lite Style
1LT or 4LT



Clear



Flemish



E-01+T

Door Width
3'0", 3'6"

Transom Height
12", 14"

Transom Style
1LT or 3LT



E-04+T

Door Width
6'0"

Transom Height
12", 14"

Transom Style
1LT, 5LT, or 6LT



E-09

Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"

Transom Style
1LT, 3LT, 4LT or 5LT




¹ DP-50 Certification for the state of Florida does not include E-01+T and E-04+T configurations or 3'6" wide doors.


Alexandria SDL Grid Options



Ovolo Grid Sizes



7/8" Narrow



1 5/8" Traditional

Wood Species: Mahogany Stain Grade, 1 3/4"

Unit Configurations: E-01, E-01+SL, E-01+T, E-03, E-04, E-04+T, and E-09

6'8" Door Sizes: 2'6", 2'8", 3'0" x 6'8" | Double: 5'0", 5'4", 6'0" x 6'8"

8'0" Door Sizes: 2'6", 2'8", 3'0", 3'6" x 8'0" | Double: 5'0", 5'4", 6'0" x 8'0"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50



Studio 3LT SDL



Studio 4LT SDL



Studio 6LT SDL



Studio 8LT SDL

TIFFANY



Tiffany exterior doors boost curb appeal and provide a perfect complement to arched masonry and architectural features. With five classic Mahogany grid styles and two solid panel options, our Tiffany collection exemplifies charm, by creating a warm, inviting entry.



Tiffany 4LT TDL
8'0"



Tiffany 6LT TDL
6'8" and 8'0"




Tiffany 8LT TDL
8'0"



Tiffany Diamond 7LT TDL
8'0"



Tiffany 9LT TDL
8'0"



Tiffany Solid Panel
8'0"



Solid Panel with Speakeasy
8'0"



Tiffany 4LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Unit Type: Non-Rated or DP-50 Rated²

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-17

Door Width
5'0", 5'4", 6'0"

Door Height:
8'0" (R78")



E-19

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"

Transom Height
24" (R78")



E-19B

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"

Transom Height
24"



Tiffany 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Unit Type: Non-Rated or DP-50 Rated²



E-17

Door Size
5'0", 5'4", 6'0" x 8'0"
(R78")

Tiffany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled or Flemish IG Low E¹

Unit Type: Non-Rated or DP-50 Rated²

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01

Door Width
3'0"
Door Height
8'0"



E-01A

Door Width
3'0"
Door Height
8'0" (R78")



E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-18

Unit Width
12" x 3'0" x 12"
Door Height
8'0" (R78")



E-19

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



E-19B

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24"

6'8" Doors



E-04

Door Width
5'0", 5'4", 6'0"
Door Height
6'8"



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
6'8" (R78")

¹ Flemish IG Low E glass is only available for 8'0" door units.

² DP-50 Coastal Certification for the state of Florida does not include E-19 & E-19B unit configurations.

Tiffany Diamond 7LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50 Rated

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")

Tiffany 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50 Rated



E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-17


Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



Tiffany Solid Panel with Speakeasy 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Non-Operable Speakeasy: Clear IG Low E
 Unit Type: Non-Rated or DP-50 Rated

Unit Configuration: E-17 (Arched Double Door)
 Double Door Size: 5'0", 5'4", 6'0" x 8'0" (R78")
 Panel Style: V-Groove Ogee Raised Panel



Tiffany Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Pane/Glazing Bead: Ogee Raised Panel, Ovolo
 Unit Type: Non-Rated or DP-50 Rated

Transom Glass: Clear or Flemish IG Low E
 * Also available with non-operable Speakeasy.



E-01

Door Width
3'0"
 Door Height
8'0"



E-01B

Door Width
3'0"
 Door Height
8'0" (R22")



E-17

Door Width
5'0", 5'4", 6'0"
 Door Height
8'0" (R78")



E-19

Door Size
5'4", 6'0" x 8'0"
 Transom Height
24" (R78")

DP5
RATED



ABERDEEN

The timeless elegance of our Aberdeen collection has made this DSA door a signature staple, for homeowners and builders alike. Featuring dramatic arched raised panels with arched mahogany grids, ornate wrought iron grilles, or beveled glass with coming, our timeless Aberdeen doors will create a lasting impression for generations to come.



Aberdeen 1LT
6'8" and 8'0"



Aberdeen 6LT TDL
8'0"



Aberdeen Leaded 6LT TDL
8'0"



Aberdeen Burlwood
6'8" and 8'0"



Aberdeen Redwood
8'0"



Aberdeen Solid Panel
8'0"

Aberdeen 1LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01

Door Width
3'0"

Door Height
8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
6'8", 8'0"



E-17

Door Width
5'0", 5'4", 6'0"

Door Height
6'8", 8'0" (R78")



E-19

Door Width
5'4", 6'0"

Door Height
6'8", 8'0"

Transom Height
24" (R78")

Aberdeen Leaded 6LT

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled with Silver Caming

Panel/Glazing Bead: Ogee Raised Panel/Ovolo

Unit Type: Non-Rated or DP-50¹



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"



E-17

Door Width
5'0", 5'4", 6'0"

Door Height
8'0" (R78")



¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.

Aberdeen 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Panel: Ogee Raised Panel

Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50¹



E-01

Door Width
3'0"
Door Height
8'0"



E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-04

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



E-19B

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24"

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 and E-19B unit configurations.

Aberdeen Burlwood 6'8" & 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01

Door Width
3'0"

Door Height
8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
6'8", 8'0"



E-17

Door Width
5'0", 5'4", 6'0"

Door Height
6'8", 8'0" (R78")



E-19

Door Width
5'4", 6'0"

Door Height
6'8", 8'0"

Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.



Aberdeen Redwood 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01

Door Width
3'0"

Door Height
8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"



E-17

Door Width
5'0", 5'4", 6'0"

Door Height
8'0" (R78")



E-19

Door Width
5'4", 6'0"

Door Height
8'0"

Transom Height
24" (R78")

Aberdeen Solid Panel 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Glass: Clear Beveled or Flemish IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Ogee Raised Panel

Glazing Bead: Ovolo



E-01

Door Width
3'0"

Door Height
8'0"



E-01B

Door Width
3'0"

Door Height
8'0" (R22")



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
8'0"



E-17

Door Width
5'0", 5'4", 6'0"

Door Height
8'0" (R78")



E-19

Door Size
5'4", 6'0" x 8'0"

Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations.

BREEZEPORT



Let the outside in with DSA's Breezeport collection! Featuring operable glass panels, with durable fiberglass screens and a built-in weep system, this unique design style is a long-standing customer favorite. Adorned with exterior raised moulding, our Breezeport doors are also offered with a wide variety of privacy glass options.



Breezeport Operable Window Hardware

Mortised concealed hinges for operable breezeway window.

Premium fiberglass screen.

Operable windows feature a HOPPE® lock with discreet hardware for a modern aesthetic.



Breezeport 4 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E

Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated Panel: Ogee Raised with Exterior Moulding



E-01

Door Width
2'8", 3'0"

Door Height
6'8", 8'0"

E-04

Door Width
5'4", 6'0"

Door Height
6'8", 8'0"

E-17

Door Width
5'4", 6'0"

Door Height
8'0" (R78")

Breezeport 6 Lite 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E

Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated Panel: Ogee Raised with Exterior Moulding



E-01

Door Width
2'8", 3'0"

Door Height
8'0"

E-04

Door Width
5'4", 6'0"

Door Height
8'0"

E-17


Door Width
5'4", 6'0"

Door Height
8'0" (R78")


Insulated Low-E Glass




Clear



Flemish



Rain



Seedy Baroque

Breezeport Full Lite 8'0"

Wood Species: Mahogany Stain Grade

Door Thickness: 2 1/4"

Glass: Clear or Flemish IG Low E

Operable Window Thumbturn: Black or Satin Nickel

Unit Type: Non-Rated



E-01

Door Width
2'8", 3'0"

Door Height
8'0"



E-04

Door Width
5'4", 6'0"

Door Height
8'0"



GU[®] Multipoint + Berkeley Gripset *with Interior Knob*

Due to the unique design of our Breezeport collection, interior lever handles, which would prevent the operable glass panel within the slab from opening, are not an option. By pairing the Berkeley Gripset handle with the GU Security™ 3-Point Lock, DSA offers an interior square knob which is compatible with our Breezeport doors.

Also available as a Smart Lock, featuring the Danalock V3.

To find out more, see pages 125-127 in this catalog.



TUSCANY



DSA's Tuscan collection showcases the timeless, simple elegance of the American Craftsman style, allowing our premium Mahogany and quality construction to take center stage. Featuring vertical shaker panels, an optional dentil shelf, and three TDL grid styles, our Tuscan doors have maintained their popularity for decades.

Tuscany 3LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Glass: Clear Beveled IG Low E
 Unit Type: Non-Rated or DP-50¹

Panel: Flat Recessed Panel
 Glazing Bead: Craftsman
 Optional Dentil Shelf: 3-Tooth



E-01	E-01	E-01+T	E-01+SL E-03	E-08
Door Width 3'0"	Door Width 3'0"	Door Width 3'0"	Side Lite Width 12", 14"	Side Lite Width 12", 14"
Door Height 6'8"	Door Height 8'0"	Transom Height 12", 14", 16"	Side Lite Style Full-View or 1LT	Transom Height 12", 14", 16"

Tuscany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Glass: Clear Beveled IG Low E
 Unit Type: Non-Rated or DP-50¹

Panel: Flat Recessed Panel
 Glazing Bead: Craftsman
 Optional Dentil Shelf: 3-Tooth



E-01	E-01	E-01+T	E-01+SL E-03	E-08
Door Width 3'0"	Door Width 3'0", 3'6"	Door Width 3'0", 3'6"	Side Lite Width 12", 14"	Side Lite Width 12", 14"
Door Height 6'8"	Door Height 8'0"	Transom Height 12", 14", 16"	Side Lite Style Full-View or 2LT	Transom Height 12", 14", 16"

¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T configurations or 3'6" wide doors.

Tuscany Glencoe 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50¹

Panel: Tuscany Flat Panel

Glazing Bead: Craftsman

Optional Dentil Shelf: 3-Tooth



E-01

Door Width
3'0"

Door Height
8'0"



E-01+T

Door Width
3'0"

Transom Height
12", 14", 16"



E-01+SL | E-03

Side Lite Width
12", 14"

Side Lite Style
Full-View



E-08

Side Lite Width
12", 14"

Transom Height
12", 14", 16"

¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T configurations.



E-01 Tuscany 3LT TDL | pg 51

DP50
RATED

URBAN



DSA's signature Urban Collection is constructed with acetylated Accoya[®], a modified timber, engineered to withstand the natural elements to which wood doors are often susceptible. Our Accoya doors boast a limited 5-year warranty and do not require an overhang. Incorporating our CLPF[™] (Cross Laminated Ply Foam) core and argon glass, our Urban Collection is Energy Star Rated with a U-Factor of 0.29.



Urban 1LT



Urban 2LT



Urban 3LT



Urban 4LT



Urban 6LT



Accoya[®]



Urban 7LT



Urban 8LT




Urban 9LT



Urban Twin

Modern SDL Grids

Accoya SDL grids are directly applied to the glass surface.



Urban Twin SDL width: 4 1/2"



Primed FrameSaver[™] with 180 Brickmould



Urban Configurations 8'0"

Wood Species: Accoya® (CLPF) Stain Grade, 1 3/4"
 Glass: Clear or Flemish IG Low E with Argon Gas
 Side Lite Width: 12" Transom Height: 12"
 Unit Type: Non-Rated or DP-50¹

Single Door Size: 3'0" x 8'0"
 Double Door Size: 6'0" x 8'0"
 Panel: Modern Flat Panel
 Glazing Bead: Modern



E-01



E-01+SL




E-03



E-04



E-01+T



E-01+T+SL



E-09



E-04+T

¹ DP-50 Coastal Certification for the state of Florida does not include E-01+T, E-01+T+SL or E-04+T configurations.



KEOWEE



Embrace the beauty of timeless arched details paired with the charm of knotted wood. With a robust 2 1/4" thickness, and a beautiful Knotty Alder veneer, DSA's Keowee combines the warmth of rustic design with luxurious elegance. Featuring dramatic arched panels with vertical grooves and arched panes of traditional Clear Beveled glass, the Keowee will make a signature statement for years to come.

Keowee 6LT TDL 8'0"

Wood Species: Knotty Stain Grade, 2 1/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50¹

Panel: V-Groove High Country Raised
Glazing Bead: High Country



E-01
Door Width
3'6"
Door Height
8'0"



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")

¹ DP-50 Coastal Certification for the state of Florida does not include E-19 unit configurations or 3'6" wide doors.



OCONEE



The Oconee collection from DSA is an ideal entry door for contemporary farmhouse or barn-style homes, blending the beauty of rustic knotted wood with modernized styling. Available in a popular 6-lite grid design with Clear Beveled or Flemish glass, a variety of door sizes, and two panel options, our Oconee collection can be customized to meet your specific needs and personal style.

Oconee 6LT TDL 6'8" & 8'0"



Wood Species: Knotty Alder Stain Grade, 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Panel/Glazing Bead: High Country
Unit Type: Non-Rated or DP-50



E-01

Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"

E-04

Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"

E-03

Side Lite Width
12", 14"
Door Height
6'8", 8'0"

E-09

Door Size
3'0" x 6'8", 8'0"
Side Lite Width
12", 14"
Transom Height
12", 14"

Bottom Panel Options

Choose from two High Country raised bottom panel styles, with smooth surface or vertical v-grooves.



PINEHURST



Elevate the charm of any home with DSA's Pinehurst, our signature collection of true-radius arched doors available in two timeless styles and four fully glazed lite options. Crafted from our premium Mahogany timber, our striking Pinehurst doors are an ideal entry for distinctive style homes.

Pinehurst 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Glass: Clear Beveled or Flemish IG Low E
 Panel/Glazing Bead: Ogee Raised Panel, Ovolo
 Unit Type: Non-Rated or DP-50¹



E-01C

Door Width
3'0"
 Door Height
8'0" (R18")

E-17B

Door Width
5'4", 6'0"
 Door Height
8'0" (R32", R36")




Pinehurst Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Non-Operable Speakeasy Glass: Clear IG Low E
 Panel: V-Groove Ogee Raised Panel
 Unit Type: Non-Rated



E-17B

Door Width
5'4", 6'0"
 Door Height
8'0" (R32", R36")



Speakeasy Grilles
 Scroll or Straight



¹ Single door available DP-50 Rated with double bore only.

Pinehurst Full Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Glass: Clear IG Low E Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50¹



4LT SDL

7/8" Ovolo SDL



E-01C

Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B

Door Size
6'0" x 8'0"
(R36")

4LT Wide SDL

4 1/2"
Ovolo SDL



E-01C

Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B

Door Size
6'0" x 8'0"
(R36")

6LT SDL

7/8" Ovolo SDL



E-01C

Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B

Door Size
6'0" x 8'0"
(R36")

8LT SDL

7/8" Ovolo SDL



E-01C

Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B

Door Size
6'0" x 8'0"
(R36")

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors. For states outside of Florida, DP-50 certification is for single doors only, without a multipoint locking system.



E-01C Pinehurst Full 4LT Wide SDL



TRINITY

DP5
RATED

The Trinity collection from DSA offers five stunning Mahogany door styles to complement a variety of architectural styles. Featuring an expansive 42-inch door width, flanked by matching side lites, our arched Trinity doors exude unparalleled luxury and timeless quality.



Trinity 2 Panel
8'0"



Trinity Tessera 1LT
8'0"



Trinity 2LT TDL
8'0"



Trinity 9LT TDL
8'0"



Trinity 12LT TDL
8'0"

Trinity 2 Panel 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear Beveled or Flemish IG Low E
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50 ¹



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-18
Unit Width
14" x 3'6" x 14"
Door Height
8'0" (R78")



¹ DP-50 Rated Trinity (3'6" wide doors) are not certified for the state of Florida.

Trinity Tessera 1LT 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Leaded Glass w/ Silver Caming

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18

Unit Width
14" x 3'6" x 14"

Door Height
8'0" (R78")



Trinity 2LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18

Unit Width
14" x 3'6" x 14"

Door Height
8'0" (R78")

Trinity 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18

Unit Width
14" x 3'6" x 14"

Door Height
8'0" (R78")

Trinity 12LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"

Glass: Clear Beveled or Flemish IG Low E

Panel/Glazing Bead: Ogee Raised Panel, Ovolo

Unit Type: Non-Rated or DP-50¹



E-01A

Door Width
3'6"

Door Height
8'0" (R78")



E-18

Unit Width
14" x 3'6" x 14"

Door Height
8'0" (R78")

¹ DP-50 Rated Trinity (3'6" wide doors) are not certified for the state of Florida.

DP5
RATED



WAKEFIELD

Unlock elegance with DSA's Wakefield collection, featuring two traditional door styles with decorative hammered wrought iron and stunning Tessera leaded glass. Our Wakefield doors are offered with optional exterior raised moulding for a classic touch, and are available in single or double doors with the option of matching side lites.

Wakefield Burlwood 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel
(optional Exterior Moulding)
Glazing Bead: Ovolo



E-01

Door Width
3'0"
Door Height
8'0"



E-03

Side Lite Width
12", 14"
Door Size
3'0" x 8'0"



E-04

Door Width
6'0"
Door Height
8'0"



E-04R

Door Width
6'0"
Door Height
8'0"

Exterior Raised Moulding

Wakefield doors are offered with optional exterior raised moulding applied around Tessera glass and bottom panels.



Wakefield Tessera 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Tessera Leaded Glass with Silver Caming
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel (optional Ext. Moulding)
Glazing Bead: Ovolo



E-01

Door Size:
3'0" x 8'0"



E-03

Side Lite Width
12", 14"




E-04

Door Size:
6'0" x 8'0"



Silver Caming




SIGNATURE SDL




At DSA, we pride ourselves in offering a wide selection of quality wood doors that satisfy the unique needs of even the most discerning homeowner. With our Signature SDL (Simulated Divided Lite) doors, we are able to offer more styles and sizes, that are not stock options, for our Aberdeen and Alexandria Studio door collections. Our master artisans apply Mahogany grids directly to the glass of these 1-lite doors and custom grid designs may also be available through DSA's Custom Design Department.

SDL Profile and Sizes



Ovolo, 7/8" Narrow



Ovolo, 1 5/8" Traditional

Alexandria Studio SDL

Wood Species: Mahogany Stain Grade, 1 3/4"

Unit Configurations: E-01, E-01+SL, E-01+T, E-03, E-04, E-04+T, and E-09

6'8" Door Sizes: 2'6", 2'8", 3'0" x 6'8" | Double: 5'0", 5'4", 6'0" x 6'8"

8'0" Door Sizes: 2'6", 2'8", 3'0", 3'6" x 8'0" | Double: 5'0", 5'4", 6'0" x 8'0"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50

SDL Size/Profile: Ovolo 7/8" or 1 5/8"



Studio 3LT SDL



Studio 4LT SDL



Studio 6LT SDL



Studio 8LT SDL

Aberdeen SDL

Wood Species: Mahogany Stain Grade, 1 3/4"

6'8" Unit Configurations: E-04 and E-17 | Double Door Sizes: 5'0", 5'4", 6'0" x 6'8"

8'0" Unit Configurations: E-01, E-01B, E-04 and E-17 | Single Door Size: 3'0" x 8'0"

8'0" Double Door Sizes: 5'0", 5'4", 6'0" x 8'0"

Glass: Clear or Flemish IG Low E Unit Type: Non-Rated or DP-50

SDL Size/Profile: Ovolo 7/8"



Aberdeen 3LT SDL



Aberdeen 4LT SDL



Aberdeen 6LT SDL



Aberdeen 9LT SDL



TRADITIONAL

DOOR COLLECTIONS



Beloved Classics

The classic door styles featured in these seven cherished collections effortlessly enhance the beauty of Colonial, Cape Cod, Craftsman, and traditional-style homes, with their simple, yet elegant, design.

Featured Collections

Belle Meade	Decatur Hendersonville
Brentwood	Lakewood
Lousiburg	Colonial
Madison	



Old World Charm

Step back in time with our Old World Charm collections. Crafted from our premium Mahogany and Knotty Alder timber, these six traditional door styles evoke the rustic elegance of eras past, showcasing exceptional craftsmanship and unwavering style.

Featured Collections

Briarcliff	Linville
Kenmure	Porthole
Dutch	Meadowlands



Enduring Elegance

Elevate your home's curb appeal with the unparalleled style and sophistication of our Enduring Elegance doors. Blending romantic wrought iron and classic, glamorous design, these collections seamlessly combine historic charm and modern luxury to create a timeless impression.

Featured Collections

Hampshire	Decatur Hendersonville
Tessera or Iron	with Burlwood Iron
Seville	

DP5
RATED



SIDE LITE & TRANSOMS

Side Lite Size: 10", 12", and 14"

E-09 Transom: 10" and 12"

E-01+T Transom: 12" and 14"

E-14 Transom: 21" (R78")

Glass: Clear Beveled IG Low E



E-14



E-09



E-01+T



E-01+SL | E-03

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Unit Type: Non-Rated or DP-50¹

Belle Meade 6'8"

Panel: Ogee Raised Panel

*Non-operable Speakeasy Window available



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

6'8" Decatur Hendersonville

Panel: V-Grooved Ogee Raised Panel

*Non-operable Speakeasy Window available
See page 85 for Burlwood Iron options



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

Brentwood 4LT 6'8"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised, Ovolo



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

Lakewood 4LT 6'8"

Glass: Clear Beveled IG Low E

Panel/Glazing Bead: Ogee Raised, Ovolo

Optional Dentil Shelf: 5-Tooth



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

¹ DP-50 Certification for the state of Florida does not include E-01+T configurations.

Colonial 6 Panel 6'8" & 8'0"

Wood: Mahogany Stain Grade, 1 3/4"

Panel: Ogee Raised Panel

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50 ¹

Door Size: 3'0" x 6'8", 8'0" | Side Lite Width: 10", 12", and 14"

E-01+T Transom: 12", 14" | E-09 Transom: 10", 12"

E-14 Transom: 21" (R78") | Glazing Bead: Ovolo



Louisburg 4LT TDL 6'8"

Wood: Mahogany Stain Grade, 1 3/4"

Panel: Ogee Raised Panel

Unit Type: Non-Rated or DP-50

Door Size: 3'0" x 6'8" | Side Lite Width: 10", 12", and 14"


E-09 Transom: 10", 12" | E-14 Transom: 21" (R78")

Glass/Glazing Bead: Clear Beveled IG Low E, Ovolo



¹ DP-50 Certification for the state of Florida does not include E-01+T configurations.

DP5
RATED





Madison 9LT TDL 6'8"

Wood: Mahogany Stain Grade, 1 3/4"

Glass: Clear Beveled IG Low E

Panel: Ogee Raised Panel

Glazing Bead: Ovolo

Unit Type: Non-Rated or DP-50



E-01

Door Size
3'0" x 6'8"



E-01+SL

Door Size
3'0" x 6'8"

Side Lite Width
10", 12", 14"



E-03

Door Size
3'0" x 6'8"

Side Lite Width
10", 12", 14"



E-09

Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12"

Old World Charm

Mahogany Doors

- ◆ Briarcliff
- ◆ Linville 6LT
- ◆ Porthole 8LT
- ◆ Dutch 4LT or 6LT

Knotty Alder Doors

- ◆ Briarcliff
- ◆ Kenmure
- ◆ Meadowlands

Briarcliff 8'0"

Wood Species: Mahogany or Knotty Alder Stain Grade
 Door Thickness: 1 3/4" Panel: V-Groove Ogee Raised
 Non-Operable Speakeasy Glass: Clear IG Low E
 Unit Type: Non-Rated or DP-50

ACCESSORIES



E-01
 Door Size
 3'0" x 8'0"



E-01B
 Door Size
 3'0" x 8'0"
 (R22")



Linville 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
 Glass/Glazing Bead: Clear IG Low E, Ovolo
 Panel: V-Grooved Ogee Raised Panel
 Optional Dentil Shelf: 3-Tooth
 Unit Type: Non-Rated or DP-50¹



E-01
 Door Size
 3'6" x 8'0"



E-01B
 Door Size
 3'6" x 8'0"
 (R40")



E-17
 Door Size
 5'4", 6'0" x 8'0"
 (R78")

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors.

Kenmure 8'0"

Wood Species: Knotty Alder Stain Grade, 2 1/4"

Glass: Clear Beveled IG Low E

Unit Type: Non-Rated or DP-50¹

Door Size: 3'6" x 8'0" Side Lite Width: 16"

E-18B Transom Height: 24" Center (R78")

Panel/Glazing Bead: V-Grooved High Country

Optional non-operable Speakeasy with Clear IG Low E glass.



E-01



E-01A (R78")



E-18 (R78")



E-18B (R78")

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors or E-18B configurations.



DECORATIVE ACCENTS

Tall Straight Grille



Square Clavos



Round Clavos

Porthole

DP50
RATED



Door Specifications

Wood Species: Mahogany Stain Grade

Door Thickness: 1 3/4"

Unit Type: Non-Rated or DP-50¹

Glass: Clear Beveled IG Low E

Door Size: 3'6" x 8'0"

Configuration: E-01C (R21")

Panel: Plank V-Groove

Glazing Bead: Ovolo

¹DP-50 Certification for the state of Florida does not include 3'6" wide doors. DP-50 Rated E-01C doors cannot be equipped with a multipoint locking mechanism.



DUTCH DOOR SPECIFICATIONS

Wood Species

Mahogany Stain Grade

Door Thickness

1 3/4"

Door Style and Height

4 Lite, 6'8" | 6 Lite, 8'0"


Unit Type

Non-Rated

Optional Dentil Shelf



Interior Surface Bolt



Satin Nickel or Black finish

Side Lite and Transom Configurations

Side Lite Width: 10", 12", 14" | E-01+T Transom: 12", 14"

E-09 Transom: 10", 12" | E-14 Transom: 21" (R78")



E-01+T



E-01+SL | E-03



E-09



E-14

Dutch 4LT TDL 6'8"



E-01



E-01 (Arch)
Arched Glass



E-01B
(R22")

Door Size: 3'0" x 6'8"
Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo
4LT Dutch Top Panel: 32"

Dutch 6LT TDL 8'0"



E-01



E-01 (Arch)
Arched Glass



E-01B
(R22")

Door Size: 3'0" x 8'0"
Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo
6LT Dutch Top Panel: 48"

Dutch Bottom Panel Options

Panel Profile: Ogee Raised Panel | Bottom Panel Height: 48" | Optional Dentil Shelf: 5-Tooth

Single Panel



Two Vertical Panels



Two Horizontal Panels



Meadowlands



Door Specifications

Wood Species: Knotty Alder Stain Grade

Door Thickness: 2 1/4"

Unit Type: Non-Rated or DP-50¹

Glass: Clear or Flemish IG Low E

Door Size: 3'6" x 8'0"

Configuration: E-01C (R21")

Panel: Ogee Raised

Glazing Bead: Ovolo

¹ DP-50 Certification for the state of Florida does not include 3'6" wide doors. DP-50 Rated E-01C doors cannot be equipped with a multipoint locking mechanism.

Enduring Elegance



Decatur Hendersonville *with Burlwood Iron* 6'8"

Wood Species: Mahogany Stain Grade, 1 3/4"

Door Size: 3'0" x 6'8"

Side Lite Size: 12", 14" | Transom Size: 12"

Unit Type: Non-Rated or DP-50

Glass/Glazing Bead: Clear IG Low E, Ovolo

Panel: V-Grooved Ogee Raised Panel

* Also available with non-operable *Speakeasy*



E-01+SLB



E-03B



E-09B

Hampshire 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4" | Door Size: 6'0" x 8'0" (R78")
 Panel/Glazing Bead: Ogee Raised Panel with Exterior Moulding, Ovolo
 Unit Type: Non-Rated or DP-50



Wrought Iron



E-17
 Door Glass
 Flemish IG Low E

Tessera 1LT



E-17
 Door Glass
 Tessera with Silver
 Caming



Smooth Iron



Tessera Glass

Seville 7LT 8'0"



E-01
 Door Size
 2'8", 3'0" x 8'0"



E-04
 Door Size
 5'4", 6'0" x 8'0"



E-07
 Transom Size
 36" Center (R50")

Wood Species
 Mahogany Stain Grade
 Door Thickness
 1 3/4"
 Panel Style
 Ogee Raised Panel
 with Exterior Moulding
 Glass/Glazing Bead
 Clear Beveled IG Low E,
 Ovolo
 Unit Type
 Non-Rated or DP-50¹

¹ DP-50 Certification for the state of Florida does not include E-07 configurations.



MODERN COLLECTIONS



COLLECTIONS

- MILAN - CLPF
- LUCA - CLPF
- FLORES - CLPF
- CARLO

MODERN HARDWARE
Door Pulls + Lock Options

CLPF Core



DSA's **CLPF™** (Cross Laminated Ply-Foam) Core construction is a combination of solid wood and foam, to create a wood door that is more energy efficient and less prone to warpage over time.




Modern Door Unit Configurations

Direct-set side lite and transoms are available with all Modern door styles. Our premium Low E glass is directly glazed into the frame for maximum visible glass.


Direct-Set Side Lites: 12" x 6'8", 8'0"
Direct-Set Transom: 12"
Glass: Clear IG Low E
Unit Type: Non-Rated or DP-50¹




E-01




E-04




E-01+SL




E-03




E-01+T



E-04+T



E-01+T+SL



E-09

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.



ENERGY STAR RATED

Our CLPF (Cross Laminated Ply-Foam) Modern doors are Energy Star Rated, including direct-set configurations.

Energy Star Collections - Milan, Luca and Flores




DIRECT-SET
*SIDE LITES &
 TRANSOMS*

12" Clear IG Low E




E-01+T




E-04+T




E-01+SL



E-03



E-01+T+SL



E-09





Milan Solid Panel

Energy Star Rated U-Factor: 0.23

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Single Door Size: 3'0" x 6'8", 8'0"

Double Door Size: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Glass: Left

Glass: Right + Left (Astragal Aligned)

Milan Thin Lite

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Sandblasted, Clear, or Fluted IG Low E

Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Glass: Center

Glass: Right + Left (Astragal Aligned)

Milan Wide Lite

Energy Star Rated U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Sandblasted IG Low E

Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Glass: Right

Glass: Center

Milan San Donato

Energy Star Rated U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Sandblasted with San Donato iron

Glass Placement: Left, Right or Center

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.



Luca Horizontal 3LT

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0"

Double Door Size: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Luca 3LT Square

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0"

Double Door Size: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Luca Horizontal 4LT

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 6'8", 8'0"

Double Door Size: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹



Luca 4LT Thin

Energy Star Rated U-Factor: 0.27

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear, Sandblasted, or Fluted IG Low E

Glass Placement: Pattern H1 or H2

Single Door: 3'0" x 6'8", 8'0" Double Door: 6'0" x 6'8", 8'0"

Unit Type: Non-Rated or DP-50¹


¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.

DIRECT-SET SIDE LITES & TRANSOMS


12" Clear IG Low E




E-01+T




E-04+T




E-01+SL



E-03



E-01+T+SL



E-09



LUCA

6'8" & 8'0"




DIRECT-SET SIDE LITES & TRANSOMS


12" Clear IG Low E




E-01+T




E-04+T




E-01+SL



E-03



E-01+T+SL



E-09



Flores 4LT Square

Energy Star Rated U-Factor: 0.29


Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 8'0"

Double Door Size: 6'0" x 8'0"

Unit Type: Non-Rated or DP-50¹



Flores Diamond 3LT

Energy Star Rated U-Factor: 0.29

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Clear or Sandblasted IG Low E

Single Door Size: 3'0" x 8'0"

Double Door Size: 6'0" x 8'0"

Unit Type: Non-Rated or DP-50¹



Flores Vertical 3LT

Energy Star Rated U-Factor: 0.32

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"

Door Glass: Sandblasted or Clear IG Low E

Single Door Size: 3'0" x 8'0"

Double Door Size: 6'0" x 8'0"

Unit Type: Non-Rated or DP-50¹



Flores Diagonal 3LT

Energy Star Rated U-Factor: 0.30

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"


Door Glass: Sandblasted IG Low E

Glass Placement: V1 or V2 | V1R or V2R (mirrored placement)


Single Door Size: 3'0" x 8'0" Double Door Size: 6'0" x 8'0"

Unit Type: Non-Rated or DP-50¹

¹ DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass.



E-04 Flores Diagonal 3LT V2R



CARLO

6'8" & 8'0"




DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E



E-01+T




E-04+T




E-01+SL



E-03



E-01+T+SL



E-09





Carlo Tri Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"

Door Glass: Sandblasted or Clear IG Low E

Glazing Bead: Craftsman

Single Door Size: 3'0", 3'6"¹ x 8'0"

Double Door Size: 6'0", 7'0"¹ x 8'0"

Unit Type: Non-Rated or DP-50²



Carlo Horizontal Lite

Wood Species: Mahogany Stain Grade, 1 3/4"

Door Glass: Clear IG Low E Glazing Bead: N/A

Horizontal 7LT Door Size: 3'0" x 6'8" | 6'0" x 6'8"

Horizontal 8LT Door Size: 3'0" x 8'0" | 6'0" x 8'0"

Unit Type: Non-Rated or DP-50²

Horiz. 7LT
6'8"

Horiz. 8LT
8'0"



Carlo Square Lite

Wood Species: Mahogany Stain Grade, 1 3/4"

Door Glass: Clear IG Low E Glazing Bead: N/A

Glass Placement: Hinge or Strike-aligned

Panel Profile: Flat Recessed Panel

Square 6LT-12PNL Door Size: 3'0" x 6'8" | 6'0" x 6'8"

Square 7LT-14PNL Door Size: 3'0" x 8'0" | 6'0" x 8'0"

Unit Type: Non-Rated or DP-50²

6LT | 12PNL
6'8"

7LT | 14PNL
8'0"

¹ Direct-set transoms are only available standard for configurations with 3'0" or 6'0" wide doors.

² DP-50 Certification is only available for Single (E-01) and Double (E-04) doors and does not apply to direct-set glass. 3'6" doors are not certified for the state of Florida.



For our Modern door styles, DSA provides a variety of pull bar and lock options. Select a **Modern Door Pull** in the preferred style, size, and finish. Door pulls are offered as exterior + interior pairs and require one of the **Lock & Trim Options** below.

Modern Door Pulls

Round Pull Bar

32", 48" or 71"

Square Offset

72"

Door Pull Finishes

Black or Satin Nickel




Lock & Trim Options

Not available for DP-Rated units.

Deadbolt + Roller Catch

DSA offers a standard or smart deadbolt option, with a roller catch, which replaces a traditional latching handle, to secure the door in place when closed. The roller catch is mortised into the top of the active door panel, with the option of additional catches being applied on the strike side of the door, upon request.




Roller Catch

Multipoint Lock with Profile Cylinder

The GU® Security™ Automatic lock is available with a European profile cylinder, versus a traditional handle, which disengages the multipoint lock latches, when an external key, or the interior thumbturn, is turned away from the strike. DSA offers both a standard and smart cylinder option with the GU multipoint lock.

The standard profile cylinder requires a key to open the door from the exterior, even when the deadbolt is not engaged.



Profile Cylinder

Deadbolt + Roller Catch 2 3/8" or 2 3/4" backset | Black or Satin Nickel finishes

1 EMTEK® Square Trim



For more information on EMTEK's EMPowered™ smart lock, please see page 129 in this catalog.

2 EMTEK® EMPowered™ Smart Deadbolt



Keyed



Digital

Multipoint Lock with Profile Cylinder

3 GU® Secury™ with Standard European Profile Cylinder

2 3/8" backset | Round or Square Rosette in Black or Satin Nickel finishes



Square



Round

For more information on the GU multipoint locking system and the Danalock V3 see page 127.

4 GU® Secury™ with Smart European Profile Cylinder

2 3/8" backset | Round or Square Rosette in Black or Satin Nickel finishes

DANAPAD V3


Exterior mounted keypad included for three types of entry: smart phone, key, or keypad pin.



Square



Round



European profile cylinder for the Danalock V3 is only available in Satin Chrome.



The following door styles are not compatible with DSA's standard modern door pull options: Flores Diamond, Vertical or Diagonal 3LT; Luca Horizontal 3LT and 4LT Thin (Pattern H2); Carlo Tri and SQ Lite

FULL VIEW COLLECTIONS



DSA's Full View collections include Florida Certified non-Impact, DP-50 Bifold doors and our trending Slimline doors. Constructed of acetylated Accoya® and backed by a 5-year limited warranty, our Full View collections were designed with the modern home in mind, offering a range of options and sizes, superior and durable construction, and Energy Star Ratings to meet ever-changing building code requirements, as well as consumer needs.

To find out more about the benefits of Accoya and our warranty guidelines, visit us at www.DSADoors.com/Accoya.



BIFOLD DOORS

These generous units allow for an abundance of natural light, while our argon filled Low-E glass repels heat, to ensure a comfortable indoor environment. DSA Bifold doors and frames are constructed of Accoya®, an acetylated timber, resistant to swelling and shrinking, ensuring enduring performance in even the most humid of environments.

All three bifold unit sizes are Florida certified and equipped with premium Centor® bifolding hardware and a four-point lock, installed on the active door panel.



**DP5
RATED**

Wood Species: Accoya® Stain Grade, 2 1/4"
 Door Glass: Clear IG Low E with Argon gas
 Swing: Outswing only
 Unit Type: DP-50 Rated

Energy Star Rated U-Factor: 0.28

Bifold Hardware: Centor® E3



Multipoint Lock: GU® Europa™ Rhino-Hook Bolt

Bifold Frame: 5 7/8" or 6 9/16" jamb depth, Accoya

Brickmould or interior casing must be custom ordered for bifold units.

Bifold Configurations 8'0"

W-9 | 3 Leaf



Nominal Unit Size: 9'0" x 8'0"
 Frame Size: 106 3/4" x 98 3/4"

Allegro Lever Set




Active lever and trim available for Bifold Doors in Satin Nickel or Black finishes.
 Dummy/Passive not applicable.

W-12 | 4 Leaf




Nominal Unit Size: 12'0" x 8'0"
 Frame Size: 141 3/8" x 98 3/4"



W-16 | 5 Leaf



Nominal Unit Size: 16'0" x 8'0"
 Frame Size: 187 1/2" x 98 3/4"



Centor® E3 Bifolding Door Hardware

1 Intermediate Carrier
Concealed carrier for smooth gliding along the upper track.



2 Interior Flush Bolts
Top and bottom flush bolts to lock door panels in place.



3 Interior Handle
Center hinge with handle for opening and closing door panels with ease.



4 Intermediate Guide
Guides panel along the sill channel.



5 GU® Europa™ Rhino-Hook Bolt Active Multipoint
Steel hook-bolts lock in an upward direction, providing superior security.



SLIMLINE



View our full Slimline
Collection catalog online.

SLIMLINE

Wood Species: Accoya® Stain Grade, 1 3/4"

Unit Type: Non-Rated

Energy Star Rated U-Factor: 0.28

DSA Slimline doors are a high-performance collection of premium full view units, constructed with acetylated Accoya® and glazed with our low-emissivity glass. Available in two base models, with 24 different style selections, our Slimline collection offers a wide range of options, superior durability, energy efficiency, and require no overhang, in addition to being backed by a 5-year limited warranty.

MODEL A 8'0"



E-01
3'0" x 8'0"

E-04
6'0" x 8'0"

MODEL B 8'0"




E-01
3'0" x 8'0"

E-04
6'0" x 8'0"

Select your Door Base Model and your Door Style: Full Glass, featuring etched glass designs, Classic or Modern SDL grids, and Wide or Thin SDL Horizontal lites.

DIRECT-SET CONFIGURATIONS

Direct-Set Side Lites & Transom: 12", Clear IG Low E



E-01+SL

E-01+T

E-01+T+SL

E-03

E-04+T

E-09

Direct-set side lites and transoms are available for Model A and B doors.

All Slimline configurations are Energy Star Rated, except etched door glass styles.



MODEL A

- Narrow 3 1/2" stiles with 4 1/2" top and bottom rails.
- Slim GU® Secury™ active Multipoint lock with narrow backset included with Model A doors.
- Model A not suitable for standard bore prep.*
- Primed FrameSaver™ jambs and brickmould.
- Prepped with concealed hinges in Black or Satin Nickel finish.



MODEL B


- Narrow 3 1/2" stiles with 4 1/2" top and bottom rails.
- Drawn-out active stile suitable for most industry standard hardware and prep, including double bore and tubular entry sets.
- Multipoint lock sold separately for Model B.*
- Primed FrameSaver™ jambs and brickmould.
- Prepped with concealed hinges in Black or Satin Nickel finish.

SDL GRID STYLES

SDL (Simulated Divided Lite) grids are applied directly to the glass.



Classic



Modern




Horizontal
Thin



Horizontal
Wide

Thin SDL (7/8")



Wide SDL (3 1/4")



CONCEALED HINGES

Heavy duty hinges, hidden from view on both sides of the door, provide clean lines suitable for a sleek, modern aesthetic.



PRIMED FRAMSAVER™

Endura primed FrameSaver jambs and 180 Brickmould, paired with DSA's Slimline collection, ensure the longevity of your door unit.





GU® SECURITY™ SLIM MULTIPOINT LOCK

Euro Cylinder Below Lever | 3 5/8" center-to-center | Active Lock only

MODEL A: 1 3/4" backset - included with active door (*required*)

MODEL B: 2 3/8" or 1 3/4" backset - optional (*not included*)

EMTEK™ SLIM LEVER 1 1/2" x 11" Brass Trim | EMTEK Configuration #5 | Active & Dummy



Satin Nickel



Flat Black



Two-Tone
Black & Satin Brass

GU® SECURITY™ & BELCANTO LEVER (Smart Lock)

American Cylinder Above Lever | 3 5/8" center-to-center | Active Lock only

MODEL B: 2 3/8" backset; optional (*not included*)

See page 126 for more information on Danalock V3 smart lock for GU 3-Point Lock and Belcanto lever.



SLIMLINE FULL GLASS

MODEL A + MODEL B

Wood: Accoya® Stain Grade, 1 3/4"

Door Size: 3'0", 6'0" x 8'0"

Energy Star Rated U-Factor: 0.28

* CLEAR GLASS ONLY



CLEAR IG Low E with Argon gas




PLAZA IG Low E




ABSTRACT IG Low E



MADRID IG Low E




CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E





CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



SLIMLINE CLASSIC GRID

Wood: Accoya® Stain Grade, 1 3/4"

Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas

Energy Star Rated U-Factor: 0.28




MODEL A




4LT SDL



6LT SDL



8LT SDL




10LT SDL



12LT SDL

MODEL B



4LT SDL




6LT SDL



8LT SDL



10LT SDL



12LT SDL

SLIMLINE MODERN GRID

Wood: Accoya® Stain Grade, 1 3/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas

Energy Star Rated U-Factor: 0.28




MODEL A




BRISTOL



EXETER



GLASGOW




LONDON



OXFORD V1

MODEL B



BRISTOL



EXETER



GLASGOW




LONDON



OXFORD V2


* Oxford grid design available in V1 (top aligned) and V2 (bottom aligned) lite configurations

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E





CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



SLIMLINE HORIZONTAL THIN

Wood: Accoya® Stain Grade, 1 3/4"


Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas

Energy Star Rated U-Factor: 0.28



MODEL A



3LT Thin



4LT Thin



5LT Thin




6LT Thin




7LT Thin


MODEL B



3LT Thin



4LT Thin



5LT Thin



6LT Thin



7LT Thin

SLIMLINE HORIZONTAL WIDE

Wood: Accoya® Stain Grade, 1 3/4"

Door Size: 3'0", 6'0" x 8'0"

Glass: Clear IG Low E with Argon gas

Energy Star Rated U-Factor: 0.28



MODEL A



3LT Wide



4LT Wide



5LT Wide



6LT Wide



7LT Wide

MODEL B



3LT Wide



4LT Wide



5LT Wide




6LT Wide



7LT Wide

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



STAIN COLORS

DSA offers a proprietary, custom blend of water-based stain colors, carefully curated to highlight the natural beauty of our timber. When a factory finish is selected, our team of master artisans carefully sand and prepare each stain grade door component, before applying the stain color of your choice. All factory finished units are sealed with three coats of low-sheen semigloss clear coat.

Coco - The darkest shade available for our Mahogany and Knotty Alder doors. Coco is a deep, dark brown that can appear as warm black in natural light, accenting beautiful espresso undertones.

Ebony - Only offered for our Accoya doors, Ebony is a neutral black stain that looks solid from a distance, while accenting the natural grain of Accoya.

Parchment - Our newest color offering, Parchment is a warmer slate gray on Mahogany and Knotty Alder, with natural wood tones peaking through, and a cool, blue undertoned gray on Accoya.

Cinnamon - A medium brown with vibrant red undertones, exhibiting varying degrees of intensity, influenced by each timber's natural tone.

Chestnut - A rich, warm medium-dark brown offered for Mahogany and Knotty Alder units, Chestnut is a timeless stain color for wood doors and a DSA customer favorite.

Russet - Our lightest stain color available for Mahogany and Knotty Alder doors, Russet is a medium-light brown with warm red and golden undertones.



MAHOGANY




KNOTTY ALDER




ACCOYA®


Coco




Coco




Ebony



Parchment




Parchment




Parchment



Cinnamon




Cinnamon




Cinnamon




Chestnut



Chestnut



Russet



Russet



Find out more about how to maintain your DSA wood door online at www.DSADoors.com



Stain color may vary from door to door due to natural variegation in wood veneer. Stain samples are available and advised, for final color selection, before ordering factory pre-finish.

DSA exterior doors are offered with premium soft-coated Low E glass. Additional glass options, not offered in our standard door collections, are available through our Custom Department with an extended lead time.


GLASS OPTIONS




Clear
Privacy Rating: 1




Clear Beveled
Privacy Rating: 1



Clear Seedy
Privacy Rating: 3



Clear Baroque
Privacy Rating: 4




Flemish
Privacy Rating: 5



Seedy Baroque
Privacy Rating: 5




Fluted
Privacy Rating: 6




Bamboo
Privacy Rating: 7



Gluechip
Privacy Rating: 7



Misty Creek
Privacy Rating: 8




Rain
Privacy Rating: 8




Grain
Privacy Rating: 8




Digital
Privacy Rating: 8



Sandblasted
Privacy Rating: 9





White Laminated
Privacy Rating: 9




Tessera
Trinity, Wakefield,
and Hampshire

CASING PROFILES


All Mahogany and Knotty Alder door units are offered with 180 or S4S exterior brickmould. Interior casing, or other brickmould profiles, are available as a premium upgrade.





180 (1 1/4" x 2")





Williamsburg (1 1/4" x 3 1/4")





S4S (1 1/8" x 3 1/2")





470 (1" x 3 5/8")



445 (3/4" x 3 1/2")



Lafayette (1 5/8" x 4 5/8")



RB3 (1 1/4" x 3 1/2")

DSA doors feature an 11-ply floating panel, designed to withstand temperature fluctuations and allow for natural expansion and contraction of the wood. DSA signature panels are also constructed using vertically grained timber, for a high-end aesthetic.

PANEL PROFILES

Ogee Raised Panels



Ogee Raised Panel
*Alexandria Classic, Tiffany,
Aberdeen, etc*




Ogee with V-Grooves
*Decatur Hendersonville,
Briarcliff, Linville*



Ogee with Raised Moulding
Breezeport, Wakefield

Flat Panels



Flat Recessed Panel
Tuscany, Carlo



Plank V-Groove Panel
Porthole



Modern Flat Panel
Urban

High Country Raised Panels

CUSTOMIZATION

V-grooves may be added to any Mahogany door with an Ogee Raised Panel.

Raised moulding can also be applied around the perimeter of the panel and glass, on the exterior and/or interior of any Mahogany door style.



High Country Raised Panel
Oconee



High Country with V-Grooves
Oconee, Keowee, Kenmure

Alexandria Studio standard panel styles can be viewed on pg. 22 of this catalog.

HINGES

STANDARD HINGES



Satin Nickel

4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



Oil Rubbed Bronze

4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



***Stainless Steel**

4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



***(SS) Oil Rubbed Bronze**

4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)

*Stainless Steel hinges are required for Accoya units and are only available for Mahogany and Knotty Alder as a premium upgrade.

PREMIUM HINGES



Gloss Black

4"x4" ball-bearing, 1/4" radius
Inswing only




Satin Nickel

4"x4" ball-bearing, SQ
Inswing only



Flat Black

4"x4" ball-bearing, SQ
Inswing only



Polished Brass

4"x4" ball-bearing, SQ
Inswing only



*** Black**

Concealed Hinge
Inswing and Outswing




*** Satin Nickel**

Concealed Hinge
Inswing and Outswing

*Concealed hinges come standard with Slimline doors, at no additional cost, and are not available for DP-50 Rated coastal doors. Frame width increases 1/2 inch per each outer jamb prepped with concealed hinges.

DOOR SILLS




**Adjustable Sill
Dark Bronze**

Non-rated | Inswing




**Adjustable Sill
Brushed Nickel**

Non-rated | Inswing




**Bump Sill
Dark Bronze**

Outswing



**Bump Sill
Brushed Nickel**

Outswing




**Hydosill™
Dark Bronze**

DP-50 Rated | Inswing

GLAZING BEAD PROFILES




Ovolo
Mahogany Standard Bead




Ovolo TDL
1 5/8" width




High Country
Knotty Alder Standard Bead




High Country TDL
1 15/16" width (1 5/8" Ocone)




Craftsman
Tuscany Standard Bead



Craftsman TDL
1 7/8" width



Modern
Accoya Standard Bead



Modern SDL
7/8" width


T-ASTRAGALS



Mahogany
Ovolo T-Astragal



Knotty Alder
Square T-Astragal



Accoya®
Square T-Astragal

FLUSHBOLTS




Standard
Black or Nickel




DP-50 Rated
Black

*DP-50 Rated double doors with standard double bore prep require a "double t- astragal", increasing the unit width by an additional 1/2 inch.

DOOR SILLS



* **ADA Sill**
Brushed Nickel
Non-rated



* **ADA Sill**
Dark Bronze
Non-rated



* **White Oak**
Inswing Sill
Non-rated | 1 3/4" doors

* ADA and White Oak sills are available for non-rated units, as a premium upgrade.

White Oak sills are stocked in 4 9/16" and 6 9/16" depths and custom sizes will require an extended lead time. DSA does not stain wood sills, unless requested for prefinished units, and White Oak sills are not covered under DSA's Limited Warranty.

Sill Extensions are stocked for our 4 9/16" aluminum thresholds in 1", 2", 3", and 4 5/8" sizes. ADA sills for custom jamb sizes must be special ordered and can result in an extended lead time.

MULTIPOINT LOCKS

DSA offers two 3-point Locking Mechanisms; Ashland and GU Security. As a homeowner favorite, due to the additional security they provide, multipoint locking systems are also important for both the lifespan and structural integrity of wood doors, and are recommended for doors taller than 6'8", to prevent warpage and sagging over time.

ASHLAND MULTIPOINT LOCK



Top and Bottom Shootbolts are manually engaged by lifting the handle up 35° after closing the door.



- Non-Rated or DP-50 Rated Units
- Active and Passive Lock available
- 1 3/4" or 2 1/4" thick doors

GU® SECURITY™ 3-POINT LOCK



Automatic Latchbolts engage horizontally in the jamb when the door is closed.



- Non-Rated Units
- Active Lock *only*
- Available for E-01C doors
- 1 3/4" or 2 1/4" thick doors

LEVER HANDLES

for Ashland and GU Multipoint

EMTEK lever and trim sets shown below are compatible with the Ashland and GU multipoint locking mechanisms.

EMTEK Configuration #4 | 3 5/8" Center-to-Center | American Cylinder Above Lever | Flat Black or Satin Nickel



ARCHED TRIM

Flat Black Bronze (FB)
Sandcast Arched, 2" x 10" | Durango Lever
Satin Nickel (US15)
Brass Concord 2" x 10 1/2" | Luzern Lever



SQUARE TRIM

Flat Black Bronze (FB)
Sandcast Rectangular, 2" x 10" | Durango Lever
Satin Nickel (US15)
Brass Modern 2" x 10" | Luzern Lever



CONTEMPORARY

Flat Black Bronze (FB)
Sandcast Rectangular, 2" x 10" | Lariat Lever
Satin Nickel (US15)
Brass Modern 2" x 10" | Luzern Lever

PREMIUM LOCK + HANDLE SETS

Berkeley Gripset with GU Multipoint

The GU Ferco Berkeley Gripset offers an alternative handle option, when paired with a multipoint lock, in lieu of traditional lever handlesets. This premium set includes the GU Secury 3-Point Lock, specially designed for this handle's engagement, and the Berkeley gripset with the option of an Interior Lever or Interior Knob.

- Non-Rated Units
- Dummy grip available
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors



SATIN NICKEL



BLACK



PREMIUM LOCK + HANDLE SETS

Danalock Smart Lock for GU Multipoint

Belcanto Lever + GU Secury™ 3-Point Lock



Interior View

Set Includes: GU Multipoint, active Belcanto Lever Set prepped with the Danalock V3 smart lock, and Danabridge V3 Wifi Bridge.

- Non-Rated Units
- Active set *only*
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors



SATIN NICKEL



BLACK



Berkeley Gripset + GU Secury™ 3-Point Lock



Set Includes: GU Multipoint, active Berkeley Gripset prepped with the Danalock V3 smart lock, and Danabridge V3 Wifi Bridge.

- Non-Rated Units
- Dummy set available
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors

Interior Trim

Square Knob or Lever



SATIN NICKEL



BLACK



DANALOCK V3



DSA offers the **Danalock V3** for select options using the GU® Secury™ 3-Point Lock. With minor alterations required, the Danalock V3 is a simple solution for homeowners seeking added security without compromising convenience or style.

What's Included:

Our Danalock handle options come with the GU 3-Point Lock, the Danalock V3, and the Danabridge V3 for remote access.

Danalock V3

Motorized Smart Interior Thumbturn

Danapad V3

Optional Digital Exterior Keypad

SMART LOCK FEATURES



Danabridge V3

Wifi Bridge



Automatic Lock and Unlock for hassle-free entry.



Grant access remotely to friends and family with **Unlimited Digital Keys**.



Remotely Control and Connect to your lock via Bluetooth or WiFi from your smart phone.




Enjoy the convenience of **Twist Assist**, a motorized function that does most of the work for you.

DANAPAD V3

Add the Danapad V3 Exterior Keypad to your Smart Lock package to access your home securely and with ease. Use the Danalock app to remotely create special pin codes to allow entry at your discretion.

Simply mount the Danapad within Bluetooth range of your Danalock, create a unique pin code for up to 20 guests, and then let Danalock take care of the rest.



TUBULAR ENTRY SETS

DSA offers two EMTEK® brass tubular entry sets for standard double bore prep - Square or Full Plate. Each style comes with the option of an interior knob or lever handle, and is available in Satin Nickel or Flat Black finishes.

HANDLE SPECIFICATIONS

- 2 3/8" or 2 3/4" backset
- Available for DP-50 Rated doors
- 1 3/4" or 2 1/4" thick doors
- Active set only
- Flat Black (US19) or Satin Nickel (US15)

Square Entry Set




Full Plate Entry Set



EMTEK® EMPOWERED™

Smart Lock Upgrade



Smart Control

Use the Yale Access App with your smart phone to control and access your lock remotely.

Enjoy stylish design and keyless capabilities with EMTEK's EMPOWERED Smart Lock upgrade for tubular entry sets. Instead of fumbling for your keys, or hiding spares for guests, EMPOWERED allows you to conveniently use the Yale Access App on your smart phone to pair with your lock and automatically unlock the door as you approach. You can manage access from anywhere, receive an activity feed that logs all visitors, and integrate with your home automation devices easily.



DoorSense™

Includes optional sensor that tells you if your door is securely closed.



Auto Unlock

The lock will unlock as you approach by sensing your smart phone.



Auto Lock

When enabled, your door will lock behind you when you leave.



Share Access

Create entry codes and virtual keys to share with people you trust.



Voice Commands

Can pair with Alexa, Google Assistant, or Siri to control your lock with your voice.

23/8" or 23/4" backset | Flat Black or Satin Nickel | Active set only | Available for DP-50 Rated doors

Full Plate



Square Keyed



Square Digital



WARRANTY QUICK GUIDE



PREMIUM SPECIES

Mahogany and Knotty Alder

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.



All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



DSA's warranty does not include damage to Mahogany or Knotty Alder doors due to application of black paint or black stain.



Mahogany and Knotty Alder doors must be installed with a sufficient overhang where there is minimal direct sunlight and shielded from the elements.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.

Scan to
view our
Standard
Warranty
online.



DSA doors are also backed by a **10-year warranty** on all standard Insulated Glass, guaranteeing each unit against seal failure and internal fogging.



HIGH PERFORMANCE

Accoya®

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.



All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



Black paint and/or stain can be used on Accoya doors. Light or transparent stain colors are not recommended for Accoya.



Accoya units do not require an overhang for warranty coverage and are suitable for full-sun placement.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.

Scan to view our Accoya® Warranty online.



